

1/4




Fig. 1A

100
 110
 130
 150
 PC
 IBM NETWORK STATION
 WINDOWS-BASED TERMINAL
 X STATION OR UNIX WORKSTATION
 TPC / IP
 ICA
 RDP
 X.11




Fig. 1B

3/4




Fig. 2A

200

212

HOST OPERATING SYSTEM VIEWS
OPEN POINTERS AND REPORTS
BACK TO DASD DRIVER THAT
A NEW DISK IMAGE IS FOUND.

(TO 214) (FROM 210)

206

ADMIN MONITOR SENDS
DYNAMIC LINK REQUEST
ENVELOPE TO ADMIN DAEMON

(TO 208)

204

OPEN DISK IMAGE DYNSTG1,
STORE OPEN POINTERS,
AND CALL ADMIN MONITOR

202

ADD STORAGE NAME
(DYNSTG1) TO SERVER
DESCRIPTION (SERVER1) AND
CALL TO LOCK STORAGE SPACE

222

ADMIN MONITOR SENDS
RESPONSE WITH
RETURN CODE

(FROM 220)

224

SEND RESPONSE WITH
RETURN CODE TO CALL
TO LOCK

226

INFORM USER COMPLETION
OF DYNAMIC LINK PROCESS

4/4

